


Required Tools: Rebar, 300 ft tape measure, 100 ft Tape measure, hammer, a buddy.

Notes: All the flags next to gates have the option of being stand alone feather flags OR flags on the end of a gate. The start blocks can be placed anywhere you deem safe for your field. A suggestion would be by the 4 gates in a row.

Step 1:


Pound a rebar or place holder for your origin, or 0,0 mark.

Extend the tape measure as straight as you can for 168 feet and lay on the ground. Place a marker at the 168ft mark.




Step 2

Place a Gate leg rebar at the 84' mark as well along this tape measure.




Step 4

We are now going to get the location for the 2 gates and flag. Take one tape measure and go to the 84 foot gate rebar and walk out 89.5 feet. Then with the other tape measure walk 31 feet from the 168 foot mark. Where these 2 meet place a gate rebar.




Step 5

From the gate rebar you just placed, measure out 15 feet. Then from the 168 mark walk out 34.4 feet. Where these 2 meet, gate rebar. Along this line you can now place your 2 gates, 1 with a leg at each of the rebar we just measured. If you are going to use a feather flag, place it 2 feet from the gate. You can also use a Flag on the gate for this obstacle.




Step 6

From the zero mark walk out 89.5 ft and from the 84 foot mark walk out 31 ft. Where these meet, gate rebar. Then place a gate rebar at 24 feet, and 7 feet. If you are going to use a feather flag, then place a gate spike at 9 ft. You may also use a flag on the edge of the gate here as well.




Step 7

Now take your long tape measure and go back to the 0 mark. Walk out 48.3 ft. Then from the 31 foot mark walk out 37 ft. Where these 2 meet, gate rebar. On the 48.3 ft line, also place a gate rebar at 41.3 feet.




Step 8

Now we are going to place the 2 flags. From the zero walk out 78.7 feet and then from the 60 foot mark walk up 51 feet. Place a flag spike. For the next flag walk out 118.8 feet from the zero and walk up 84ft from the 84 ft mark. Place another flag spike.



Step 9

Now we are going to set up the 4 gates in a row. From the 60 foot gate rebar, walk out 38.2 ft. From the 87 ft mark, walk out 27 feet. Where the tapes meet, place a gate rebar. Now along the diagonal line the gates will go on, placing a gate rebar at 7ft, 8ft,15ft,23.2,30.2ft,31.2ft.



On the line from the 87 ft mark, walk back down the line 10 ft and place a rebar for the hurdle, 106 ft on the tape. Now to square the gate, walk 12.2 ft from the 106 ft mark for the hurdle out to meet the 7 ft line from the gate rebar you placed. Here is the last gate leg, place a rebar. If you are going to place a feather flag, place it 2 ft from the gate. You may also use a flag on the gate for this obstacle. When done it should look like this.

